·

iege home (search ieee) shop (web account) contact leee



ISSA	Office States Patent and Processing Notice
Help FAQ Terms IEEE	Pear Review Quick Links ** Se
O Home O What Can I Access? O Log-out Journals & Magazines O Conference Proceedings	Your search matched 7 of 1041798 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order. Refine This Search: You may refine your search by editing the current search expression or enter new one in the text box. [(model < paragraph > leakage) and (fft or dft) Search Check to search within this result set
O- Standards	Results Key:
Colori - By Author - Basic - Advanced - Coloris Statistics - Join IEEE	JNL = Journal or Magazine CNF = Conference STD = Standard 1 Examinations of ZnO-varistors in the leakage region with regard to frequency stresses Bak-Jensen, J.; Bak-Jensen, B.; Damsgaard Mikkelsen, S.; Sorensen, J.T.; Power Electronics and Applications, 1993., Fifth European Conference on , 13 Sep 1993 Pages: 191 - 196 vol.8
O- Establish IEEE Web Account	[Abstract] [PDF Full-Text (320 KB)] IEE CNF
O- Access the IEEE Member Digital Library	2 Application of prewhitening to AR spectral estimation of EEG Birch, G.E.; Lawrence, P.D.; Lind, J.C.; Hare, R.D.; Biomedical Engineering, IEEE Transactions on , Volume: 35 , Issue: 8 , Aug. Pages:640 - 645
	[Abstract] [PDF Full-Text (545 KB)] IEEE JNL
	3 Audio coding using steady state harmonics and residuals Hamdy, K.N.; Tewfik, A.H.; Multimedia Signal Processing, 1999 IEEE 3rd Workshop on , 13-15 Sept. 1999 Pages:197 - 202

4 A new numeric technique of accurate frequency and harmonics estimation for power system protection and power quality application Asnin, L.; Backmutsky, V.;

Harmonics and Quality of Power, 2002. 10th International Conference on , Vc 1 , 6-9 Oct. 2002

Pages:82 - 85 vol.1

[Abstract] [PDF Full-Text (345 KB)] IEEE CNF

[Abstract] [PDF Full-Text (252 KB)] IEEE CNF

5 Near-zone to far-zone transform in FDTD analysis f r the leakage fr aperture arrays [enclosure shielding]

Lu Feiyan; Xiao Dan; Sha Fei;

Microwave and Millimeter Wave Technology, 2002. Proceedings. ICMMT 2002 3rd International Conference on , 17-19 Aug. 2002

Pages:821 - 824

[Abstract] [PDF Full-Text (304 KB)] IEEE CNF

6 On the probability density of a maximum likelihood mean frequency estimator

Ritcey, J.;

Acoustics, Speech, and Signal Processing [see also IEEE Transactions on Sign Processing], IEEE Transactions on , Volume: 35 , Issue: 4 , Apr 1987 Pages: 579 - 580

[Abstract] [PDF Full-Text (240 KB)] IEEE JNL

7 IEEE/ACM International Conference on Computer Aided Design. IEEE/ACM Digest of Technical Papers (Cat. No.02CH37391)

Computer Aided Design, 2002. ICCAD 2002. IEEE/ACM International Conferer on , 10-14 Nov. 2002

[Abstract] [PDF Full-Text (711 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

iege home (search iege) shop (web account) contact iege



Membership Publicat	Welcome United States Patent and Trademark Office
Help FAQ Terms IEEE	Peer Review Quick Links ** Se
0.000	
O- Home O- What Can I Access? O- Log-out	Your search matched 90 of 1041798 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order.
and the second second	Refine This Search:
O- Journals	You may refine your search by editing the current search expression or enter new one in the text box.
& Magazines	(spectral or spectrum or spectra) and leakage and (dl Search
O- Conference Proceedings	☐ Check to search within this result set
O- Standards	Results Key:
Statisti	JNL = Journal or Magazine CNF = Conference STD = Standard
Q- By Author	
O- Basic O- Advanced	1 The dominant frequency position's influence on FFT spectrum leaka Liu Jinming; Ying Huaiqiao;
	Signal Processing, 1996., 3rd International Conference on , Volume: 1 , 14-1
Manufacture	1996 Pages:241 - 245 vol.1
O- Join IEEE	
O- Establish IEEE Web Account	[Abstract] [PDF Full-Text (228 KB)] IEEE CNF
O- Access the IEEE Member Digital Library	2 A fuzzy discrete Fourier transform for reduction of spectral leakage Minett, J.W.; Leung, S.W.; Information, Communications and Signal Processing, 1997. ICICS., Proceedin 1997 International Conference on , 9-12 Sept. 1997 Pages:1177 - 1179 vol.2
	[Abstract] [PDF Full-Text (156 KB)] IEEE CNF
·	3 Spectrum analysis by virtual leakage minimization

Agrez, D.;

EUROCON 2003. Computer as a Tool. The IEEE Region 8 , Volume: 1 , 22-24 2003

Pages:495 - 498 vol.1

[Abstract] [PDF Full-Text (314 KB)] IEEE CNF

4 Acoustic imaging using nearfield holography

Brown, L.A.; Knight, J.A.G.; Croft, A.; Hargreaves, M.;

Acoustic Sensing and Imaging, 1993., International Conference on , 29-30 M $_{1993}$

Pages:239 - 244

4

[Abstract] [PDF Full-Text (360 KB)] IEE CNF

5 An almost leakage free method for assessing Σ - Δ m dulator spectra Breitenbach, A.; Kale, I.;

Instrumentation and Measurement, IEEE Transactions on , Volume: 47 , Issu: 1 , Feb. 1998

Pages:40 - 44

[Abstract] [PDF Full-Text (128 KB)] IEEE JNL

6 A computationally efficient power-of-two window for spectral analy Roberts, G.;

Aerospace Conference, 1998. Proceedings., IEEE, Volume: 4, 21-28 March 1 Pages: 221 - 230 vol.4

[Abstract] [PDF Full-Text (716 KB)] IEEE CNF

7 Effects of addition of silicone fluid on electrical performance of RTV silicone rubber coatings

Hui Deng; Hackam, R.; Cherney, E.A.; Conduction and Breakdown in Solid Dielectrics, 1995. ICSD'95., Proceedings 1995 IEEE 5th International Conference on , 10-13 July 1995 Pages:616 - 620

[Abstract] [PDF Full-Text (364 KB)] IEEE CNF

8 Quasi-synchronous sampling algorithm and its applications II High accurate spectrum analysis of periodic signal

Dai, X.; Tang, T.; Gretsch, R.;

Instrumentation and Measurement Technology Conference, 1993. IMTC/93. Conference Record., IEEE , 18-20 May 1993

Pages:94 - 98

[Abstract] [PDF Full-Text (304 KB)] IEEE CNF

9 Optimum design of running Fourier transform filter banks

Murphy, M.S.; Owens, F.J.;

Speech Processing, IEE Colloquium on , 19 Jan 1988

Pages:3/1 - 3/4

[Abstract] [PDF Full-Text (164 KB)] IEE CNF

10 Theorem and application of adjustable spectrum

Rong-Ching Wu; Ta-Peng Tsao;

Power Delivery, IEEE Transactions on , Volume: 18 , Issue: 2 , April 2003

Pages:372 - 376

[Abstract] [PDF Full-Text (291 KB)] IEEE JNL

${f 11}$ Dispersion and leakage characteristics of coplanar waveguides

Jeng-Yi Ke; I-Sheng Tsai; Chun Hsiung Chen;

Microwave Theory and Techniques, IEEE Transactions on , Volume: 40 , Issue 10 , Oct. 1992

Pages:1970 - 1973

[Abstract] [PDF Full-Text (332 KB)] IEEE JNL

12 Application of prewhitening to AR spectral estimation of EEG Birch, G.E.; Lawrence, P.D.; Lind, J.C.; Hare, R.D.; Biomedical Engineering, IEEE Transactions on , Volume: 35 , Issue: 8 , Aug. Pages:640 - 645

[Abstract] [PDF Full-Text (545 KB)] IEEE JNL

13 A study on the carbonization characteristics of insulating materials between RCD terminals deteriorated by NaCl solutions

Chung-Seog Choi; Kil-Mok Shong; Hyung-Rae Kim; Dong-Woo Kim; Properties and Applications of Dielectric Materials, 2003. Proceedings of the 7 International Conference on , Volume: 1 , 1-5 June 2003 Pages: 427 - 430 vol.1

[Abstract] [PDF Full-Text (324 KB)] IEEE CNF

14 Influence of discontinuous pollution width on the surface conductive Frequency characteristics of the leakage current

Teguar, M.; Abimouloud, A.; Mekhaldi, A.; Boubakeur, A.; Electrical Insulation and Dielectric Phenomena, 2000 Annual Report Conference on , Volume: 1 , 15-18 Oct. 2000 Pages: 211 - 214 vol.1

[Abstract] [PDF Full-Text (292 KB)] IEEE CNF

15 Long-term field experience with RTV coated porcelain insulat rs Sorqvist, T.;

Electrical Insulation, 2000. Conference Record of the 2000 IEEE International Symposium on , 2-5 April 2000 Pages: 201 - 206

[Abstract] [PDF Full-Text (784 KB)] IEEE CNF

1 2 3 4 5 6 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	2095	(spectral or spectrum or spectra) and leakage and (dft or fourier or fft)	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:19
L2	17343	(model or modeling) same (spectrum or spectral or spectra)	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:00
L3	308	1 and 2	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:00
L4	19679	(model or modeling) same (spectrum or spectral or spectra or leakage)	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:19
L5	348	4 and 1	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:01
L6	218279	coherent or synchroniz\$2	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:01
L7	126	5 and 6	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:02
L8	0	("6687630").URPN.	USPAT	OR	ON	2004/06/03 08:07
L9	5	("5165051" "5473555" "5995914" "6005664" "6137104").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/06/03 08:07
L10	2447	(model or modeling) same (leakage)	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:09
L11	44	(model or modeling) same (spectrum or spectral or spectra) same (leakage)	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:09
L12	44	(model or modeling) same (spectrum or spectral or spectra) same leakage	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:19
L13	501	((spectral or spectrum or spectra) same leakage) and (dft or fourier or fft)	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:19
L14	27	10 and 13	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:25
L15	118	fourier same leakage same spectral	US-PGPUB ; USPAT	OR	ON	2004/06/03 08:26
L16	2	("6298363").URPN.	USPAT	OR	ON	2004/06/03 08:34
L17	80355	"702"/\$.ccls. or "324"/\$.ccls.	USPAT	OR	ON	2004/06/03 08:34
L18	237	17 and 1	USPAT	OR	ON	2004/06/03 08:39

à	الأ
	1

L19	158	10 and 17	USPAT	OR	ON	2004/06/03 09:35
L20	323	bin same tone	USPAT	OR	ON	2004/06/03 09:35
L21	23	leakage and 20	USPAT	OR	ON	2004/06/03 09:36